



vSRX VIRTUAL FIREWALL

Product Overview

The vSRX Virtual Firewall delivers a complete virtual firewall solution, including advanced security, robust networking, and automated virtual machine life cycle management capabilities for service providers and enterprises. vSRX empowers security professionals to deploy and scale firewall protection in highly dynamic environments.

To download a trial version of the vSRX, including advanced security services such as IPS, AppSecure, and UTM, visit www.juniper.net/us/en/dm/free-vsrx-trial/.

Product Description

Data centers increasingly rely on server virtualization to deliver services faster and more efficiently than ever before. The virtualized data center, however, introduces new challenges that require additional security considerations over and above those required to secure physical assets.

In the virtualized data center, virtual machines (VM) can be highly dynamic and elastic, with frequent additions, moves, and changes. This can complicate the ability to attach security policies to VM instantiation and track security policies with VM movement to ensure continued regulatory compliance. In short, the dynamic and flexible nature of virtualization can easily lead to a loss of visibility and control that is taken for granted in a physical world.

Network and security professionals must perform a delicate balancing act, delivering the benefits of virtualization and cloud technologies without undermining the security of the organization. This challenge can only be met by a security solution that can keep pace with evolving threats while matching the agility and scalability of virtualized and cloud environments—without sacrificing reliability, visibility, and control.

Juniper addresses these challenges head-on by extending the capabilities of the award-winning Juniper Networks® SRX Series Services Gateways to the virtual world with the vSRX Virtual Firewall. Powered by Juniper Networks Junos® operating system, the vSRX delivers a complete and integrated virtual security solution, including L4-L7 advanced security services, robust networking, and automated life cycle management capabilities for service providers and enterprises alike.

The vSRX's automated provisioning capabilities allow network and security administrators to quickly and efficiently provision and scale firewall protection to meet the dynamic needs of virtualized and cloud environments. By combining the vSRX with the power of Junos Space® Security Director, administrators can significantly improve policy configuration, management, and visibility into both physical and virtual assets from a common, centralized platform.

For service providers and organizations deploying service-oriented applications in software, the vSRX's portfolio of virtualized network and security services supports a variety of Network Functions Virtualization (NFV) use cases. The vSRX also supports Juniper Networks Contrail, OpenContrail, and other third-party solutions, and can be integrated with other next-generation cloud orchestration tools such as OpenStack, either directly or through rich APIs.

Table 1: vSRX UTM Features and Benefits

Feature	Feature Description	Benefits
Antivirus	<ul style="list-style-type: none"> Reputation-enhanced, cloud-based antivirus capabilities that detect and block spyware, adware, viruses, keyloggers, and other malware over POP3, HTTP, SMTP, and FTP protocols Service provided in cooperation with Sophos Labs, a leader in anti-malware technology 	<ul style="list-style-type: none"> Sophisticated protection from respected antivirus experts against malware attacks that can lead to costly data breaches and lost productivity
Web filtering	<ul style="list-style-type: none"> Enhanced Web filtering, including extensive category options (90+ categories) and a real-time scorecard delivered in partnership with Forcepoint, the leading Web security provider 	<ul style="list-style-type: none"> Protection against lost productivity and the impact of malicious URLs, as well as helping to maintain network bandwidth for business essential traffic
Content filtering	<ul style="list-style-type: none"> Effective inbound and outbound content filtering based on MIME type, file extension, and protocol commands 	<ul style="list-style-type: none"> Protection against inadvertent or malicious file transmitting and malicious content on the network to minimize the risk of compromise or data leakage
Antispam	<ul style="list-style-type: none"> Multilayered spam protection, up-to-date phishing URL detection, standards-based S/MIME, Open PGP and TLS encryption, MIME type, and extension blockers provided in cooperation with Sophos Labs 	<ul style="list-style-type: none"> Protection against advanced persistent threats perpetrated through social networking attacks and the latest phishing scams with sophisticated e-mail filtering and content blockers

Architecture and Key Components

Advanced Security Services

Implementing nonintegrated, legacy systems built around traditional firewalls and individual standalone appliances and software is no longer adequate to protect against today's sophisticated attacks. Juniper's advanced security suite enables users to deploy multiple technologies to meet the unique and evolving needs of modern organizations and the constantly changing threat landscape. Real-time updates ensure that the technologies, policies, and other security measures are always current.

The vSRX delivers a versatile and powerful set of advanced security services, including unified threat management (UTM), intrusion detection and prevention (IDP), and application control and visibility services through Juniper Networks AppSecure.

Unified Threat Management (UTM)

Table 2: vSRX IPS Features and Benefits

Feature	Feature Description	Benefits
Stateful signature inspection	Signatures are applied only to relevant portions of the network traffic determined by the appropriate protocol context.	Minimizes false positives and offers flexible signature development.
Protocol decodes	More than 65 protocol decodes are supported, along with more than 500 contexts to ensure proper usage of protocols.	Accuracy of signatures is improved through precise context of protocols.
Signatures	There are more than 15,000 signatures for identifying anomalies, attacks, spyware, and applications.	Attacks are accurately identified and attempts to exploit known vulnerabilities are detected.
Traffic normalization	Reassembly, normalization, and protocol decoding are provided.	System overcomes attempts to bypass other IPS detections by using obfuscation methods.
Zero-day protection	Protocol anomaly detection and same day coverage for newly found vulnerabilities are provided.	Networks are already protected against any new exploits.
Recommended policy	Attack signatures are identified by Juniper's Security Team as critical for the typical enterprise to protect against.	Installation and maintenance are simplified while ensuring the highest network security.
Active/active traffic monitoring	IPS monitoring includes active/active vSRX chassis clusters.	Support for active/active IPS monitoring is included.
Packet capture	IPS policy supports packet capture logging per rule.	Users can conduct further analysis of surrounding traffic and determine further steps to protect target.

The vSRX includes comprehensive content security against malware, viruses, phishing attacks, intrusions, spam, and other threats with best-in-class antivirus, antispam, Web filtering, and content filtering features. (See Table 1)

Intrusion Prevention System (IPS)

IPS for vSRX controls access to IT networks to protect systems from attack by inspecting data and taking actions such as blocking attacks as they are developing—and before they succeed—or creating a series of rules in the firewall. IPS tightly integrates Juniper's applications security features with the network infrastructure to further mitigate threats and protect against a wide range of attacks and vulnerabilities. (see Table 2)

Table 3: AppSecure for vSRX Features and Benefits

Feature	Description	Benefit
AppTrack	Analyzes application data and classifies it based on risk level, zones, source and destination addresses.	Tracks application usage to identify high-risk applications and analyze traffic patterns, improving network management and control.
AppFW	Creates application control policies to allow or deny traffic based on dynamic application name or group names.	Enhances security policy creation and enforcement based on applications rather than traditional port and protocol analysis.
AppQoS	Meters and marks traffic based on the application security policies set by the administrator.	Prioritizes traffic as well as limits and shapes bandwidth based on application information and context to improve overall performance.

Application Visibility and Control with AppSecure

AppSecure is a next-generation application security suite for vSRX and SRX Series Services Gateways that delivers threat visibility, protection, enforcement, and control.

Whether needing to understand how many users are accessing cloud-based applications like Facebook every day, or needing to know what applications are using the most bandwidth, AppSecure delivers powerful visibility and ongoing application tracking. With open signatures, unique application sets can be monitored, measured, and controlled to tie closely to the organization's business priorities.

Juniper Sky Advanced Threat Prevention

Juniper Sky™ Advanced Threat Prevention integrates with the vSRX to provide dynamic, automated protection against known malware and advanced zero-day threats, resulting in nearly instantaneous responses. (see Table 4)

Security policies determine if a session can originate in one zone and be forwarded to another zone. The vSRX receives packets and keeps track of every session, every application, and every user. As a VM moves within a virtualized or cloud environment, it will still send packets to the vSRX for processing, continuously communicating in a secure mode.




Figure 1: vSRX session-based forwarding algorithm

High Availability (HA)

The vSRX provides mission-critical reliability, supporting chassis clustering for both active/active as well as active/passive modes. The HA functionality provides full stateful failover for any connections being processed as well as for cluster members to span hypervisors. When vSRX VMs are configured in a cluster, the VM synchronizes connection/session state and flow information, IPsec security associations, Network Address Translation (NAT) traffic, address book information, configuration changes, and more. As a result, not only is the session preserved during failover, but security is also kept intact. In an unstable network, vSRX also mitigates link flapping.

Table 4: Juniper Sky ATP for vSRX Features and Benefits

Feature	Benefits
Deep inspection and analysis	Extracts compromised files and sends them to the cloud for rapid identification of known threats or deep-level file analysis that looks for particularly evasive malware.
Instant identification to block attacks	Instantly identifies and communicates detected malware to SRX Series firewalls to block attacks.
Web-based portal with rich reporting and analytics tools	Provides a web-based interface for performing management tasks such as configuration and product updates. Also offers a rich set of reporting and analytics tools that provide visibility into threats and compromised hosts.
Quarantine of systems and hosts	Analytics capability lets administrators and security staff analyze and correlate data, identifying compromised systems and feeding the information to SRX Series firewalls to quarantine those systems.
Spotlight secure integration	Integrates with the Spotlight Secure Threat Intelligence service to cascade threat information to SRX Series firewalls for immediate action.
Command and control (C&C) data	Provides C&C data to the SRX Series firewalls, preventing compromised internal systems from communicating with these devices.
E-mail analysis and remediation	Isolates and quarantines malicious malware, preventing e-mail from being used as an attack vector. Machine learning algorithms analyze e-mail traffic, detect malicious attachments, and block files at the firewall.
Threat intelligence	Uses powerful open APIs for seamless integration with third-party vendors, providing multiple threat intelligence feeds and reducing the attack surface.

Table 5: vSRX Services Gateway Key Performance Metrics

Performance and Capacity ¹	VMware				KVM			
vCPUs	2	5	9	17	2	5	9	17
Memory	4 GB	8 GB	16 GB	32 GB	4 GB	8 GB	16 GB	32 GB
Firewall throughput, large packet (1514B)	9.5 Gbps	14 Gbps	73 Gbps	81 Gbps	14 Gbps	39 Gbps	68 Gbps	98 Gbps
Firewall throughput, IMIX	2.4 Gbps	4.1 Gbps	17 Gbps	27 Gbps	3.2 Gbps	14 Gbps	16 Gbps	27 Gbps
AES+GCM IPsec VPN throughput (1420B)	2.2 Gbps	4.2 Gbps	12 Gbps	13 Gbps	1.1 Gbps	7 Gbps	10 Gbps	16 Gbps
Application visibility and control ²	2.4 Gbps	7.2 Gbps	21 Gbps	39 Gbps	3.3 Gbps	10 Gbps	19 Gbps	38 Gbps
IPS recommended signatures	2.3 Gbps	7.1 Gbps	18 Gbps	39 Gbps	3 Gbps	10 Gbps	19 Gbps	36 Gbps
Maximum concurrent sessions	512,000	1.0M	1.5M	2.0M	512,000	1M	1.5M	2M

¹ All performance numbers are "up to" and will depend on underlying hardware configuration (some server configurations may perform better). Performance, capacity and features listed are based on vSRX running Junos OS 19.1R1 release and are measured under ideal testing conditions. Actual results may vary based on Junos OS releases and by deployments

² Throughput numbers based on HTTP traffic with 44KB transaction size.

Performance

Traditionally, customers have been required to make a trade-off between scalability and performance. The vSRX solution is optimized to leverage multiple virtual CPUs to maximize packet processing and overall throughput in the virtual environment. Each vSRX VM also has multiple virtual network interface cards (vNICs), which can be connected to various virtual networks to simultaneously protect multiple network segments. Operating from within the virtual fabric, the vSRX provides the best of both worlds—strong security with the performance needed to support a virtualized or cloud-based environment.

Leveraging the scale-up model, the vSRX provides customers with the flexibility to upgrade their virtual security capacity by simply adding additional cores*, beyond the minimum two vCPUs, to the same instance without having to certify a new instance image. By using 17 vCPUs from a single socket, the vSRX can achieve up to 100 Gbps performance.

Table 6: vSRX System Requirements

CPU Cores	2	5	9	17
Memory	4 GB	8 GB	16 GB	32 GB
Disk Space	16 GB			
Network Drivers - VMware ESXi	VMXNET3, SR-IOV on Intel X710/XL710 or X520/X540	VMXNET3	SR-IOV (Mellanox ConnectX-3/ConnectX-3 Pro and Mellanox ConnectX-4 EN/ConnectX-4 Lx EN)	
Network Drivers KVM	Virtio, SR-IOV on Intel X710/XL710 or X520/X540	Virtio, SR-IOV on Intel X710/XL710	Virtio, SR-IOV on Intel X710/XL710 with PCI-Passthrough SR-IOV (Mellanox ConnectX-3/ConnectX-3 Pro and Mellanox ConnectX-4 EN/ConnectX-4 Lx EN)	

Junos Space Security Director

Junos Space Security Director provides security policy management through an intuitive and centralized web-based interface that offers enforcement across emerging and traditional risk vectors. As an application on the Junos Space

platform, Security Director provides extensive security scale, granular policy control, and policy breadth across the network. It helps administrators quickly manage all phases of security policy life cycle for stateful firewall, UTM, IPS, AppFW, VPN, and NAT.

Unified Management

Leveraging the power of Junos Space Security Director, administrators can significantly improve policy configuration, management, and visibility into both physical and virtual assets from one common, centralized platform.

Key Features and Benefits

- Secures multitenant private and public cloud environments by delivering a complete firewall with stateful packet processing and application-layer gateway features in a virtual machine format
- Leverages the same, consistent, advanced security and networking features (IPsec VPN, NAT, QoS, and full routing capabilities) of the SRX Series Services Gateways
- Defends against an increasingly sophisticated threat landscape by integrating powerful UTM, IPS, and application visibility and control capabilities for a comprehensive threat management framework
- Improves management flexibility with open RESTful APIs to support integration with third-party management and cloud orchestration tools
- Expands visibility into and control over firewall security policy configuration and management across virtual and non-virtual environments with Junos Space Security Director
- Supports SDN and NFV via integration with Contrail, OpenContrail, and other third-party solutions

*Number of cores should be power of 2 + 1 (i.e. 2n + 1)

Available on Amazon Web Services Marketplace

The vSRX is available on the Amazon Web Services (AWS) Marketplace to provide advanced network and application security and secure IPsec VPN connectivity to AWS VPCs, private clouds, and on-premises resources. With vSRX 3.0, you can take advantage of AWS auto scaling to dynamically increase capacity while maintaining steady, predictable performance at the lowest possible cost. Using Junos Space Security Director, customers can maintain and manage consistent security policies on SRX Series Services Gateways spread across on-premises and AWS VPCs. Customers using the vSRX on AWS can either bring their own vSRX license or pay via usage-based pricing (pay-as-you-go, hourly or annually).

Available on Microsoft Azure Marketplace

The vSRX is available on the Microsoft Azure Marketplace as well as on [Microsoft Azure Government](#) to provide secure IPsec VPN connectivity and advanced next-generation security to Azure virtual networks. Using Junos Space Security Director,

customers can maintain and manage consistent security policies on SRX Series next-generation firewalls deployed on-premises as well as in Azure virtual networks. The vSRX is available in Bring-Your-Own-License (BYOL) mode on the Microsoft Azure Marketplace and Microsoft Azure Government.

Juniper Networks Services and Support

Juniper Networks is the leader in performance-enabling services that are designed to accelerate, extend, and optimize your high-performance network. Our services allow you to maximize operational efficiency while reducing costs and minimizing risk, achieving a faster time to value for your network. Juniper Networks ensures operational excellence by optimizing the network to maintain required levels of performance, reliability, and availability. For more details, please visit www.juniper.net/us/en/products-services.

Specifications

The following table highlights high-level specifications. Please see the product documentation for a complete list.

Table 7: vSRX Virtual Firewall Specifications

Protocols	IP Address Management	Security	SLA, Measurement, and Monitoring	Hypervisors
<ul style="list-style-type: none"> IPv4, IPv6, MPLS, ISO Connectionless Network Service (CLNS) Static routes RIPv2 +v1 OSPF/OSPFv3 BGP IS-IS Multicast (Internet Group Management Protocol, PIM, Session Description Protocol) MPLS VPLS 	<ul style="list-style-type: none"> Static Dynamic Host Configuration Protocol (DHCP) Internal DHCP server, DHCP relay Address Translation Source NAT with Port Address Translation (PAT) Static NAT Destination NAT with PAT Persistent NAT, NAT64 Encapsulations Ethernet 802.1q VLAN support 	<ul style="list-style-type: none"> Firewall Firewall, zones, screens, policies Stateful firewall, stateless filters Network attack detection Screens denial of service (DoS) and distributed DoS (DDoS) protection (anomaly-based) Replay attack prevention; anti-replay Unified access control (UAC) TCP reassembly for fragmented packet protection Brute force attack mitigation SYN cookie protection Zone-based IP spoofing Malformed packet protection VPN Tunnels (generic routing encapsulation, IP-IP) IPsec, Data Encryption Standard (DES) (56-bit), triple Data Encryption Standard (3DES) (168-bit), Advanced Encryption Standard (AES) (128-bit+) encryption Message Digest 5 (MD5), SHA-1, SHA-128, SHA-256 authentication IPv6 	<ul style="list-style-type: none"> Real-time performance monitoring (RPM) Sessions, packets, and bandwidth usage IP monitoring Logging System logging Traceroute Extensive control and data plane structured and unstructured system log administration Junos Space Security Director support Juniper Networks Secure Analytics Juniper Networks Advanced Insight Solutions support External administrator database (RADIUS, LDAP, SecureID) Auto-configuration Configuration rollback Rescue configuration with button Commit confirm for changes Auto-record for diagnostics Software upgrades J-Web CLI 	<ul style="list-style-type: none"> VMware ESXi 5.5, 6.0, 6.5; KVM/QEMU: <ul style="list-style-type: none"> - CentOS 7.1 - Ubuntu 14.04, 16.04, 16.10 - RHEL 7.3 Hyper-V 2012, 2012R2, 2016

Ordering Information

For more information about Juniper Networks vSRX Virtual Firewall, please visit www.juniper.net/us/en/products-services/security/srx-series/vsrx or contact the nearest Juniper Networks sales representative. For a free vSRX trial, visit www.juniper.net/us/en/dm/free-vsrx-trial/.

About Juniper Networks

Juniper Networks brings simplicity to networking with products, solutions and services that connect the world. Through engineering innovation, we remove the constraints and complexities of networking in the cloud era to solve the toughest challenges our customers and partners face daily. At Juniper Networks, we believe that the network is a resource for sharing knowledge and human advancement that changes the world. We are committed to imagining groundbreaking ways to deliver automated, scalable and secure networks to move at the speed of business.

Corporate and Sales Headquarters

Juniper Networks, Inc.
1133 Innovation Way
Sunnyvale, CA 94089 USA

Phone: 888.JUNIPER (888.586.4737)

or +1.408.745.2000

www.juniper.net

APAC and EMEA Headquarters

Juniper Networks International B.V.

Boeing Avenue 240

1119 PZ Schiphol-Rijk

Amsterdam, The Netherlands

Phone: +31.0.207.125.700

JUNIPER
NETWORKS | Engineering
Simplicity



Copyright 2019 Juniper Networks, Inc. All rights reserved. Juniper Networks, the Juniper Networks logo, Juniper, and Junos are registered trademarks of Juniper Networks, Inc. in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.